



# **Wiring Diagrams**

1981-1982 DT 20P/DT 25/DT 25P/DT 28




1981-1982 DT 25PE/DT 28E




-----optional

1983 DT 50M




..... : Option

1983 DT 50/DT 50W



..... : Option


1983 DT 50T



..... : Option




1983 DT 60



..... : Option


1984 DT 60



..... : Option



DT 65 AND DT 85



**WIRE COLOR**


B . . . . .	Black
Bl . . . . .	Blue
G . . . . .	Green
R . . . . .	Red
W . . . . .	White
Y . . . . .	Yellow
Br . . . . .	Brown
Lbl . . . . .	Light blue
P . . . . .	Pink
O . . . . .	Orange
Gy . . . . .	Gray
B/W . . . . .	Black with White tracer

W/R . . . . .	White with Red tracer
Y/G . . . . .	Yellow with Green tracer
Y/R . . . . .	Yellow with Red tracer
R/Y . . . . .	Red with Yellow tracer
B/R . . . . .	Black with Red tracer
R/W . . . . .	Red with White tracer

**CAUTION:**  
To install the 12V, 200W rectifier with voltage regulator (option), it is necessary to remove standard rectifier.

..... Optional

1981-1983 DT 85T




WIRE COLOR

- B . . . . . Black
- Bl . . . . . Blue
- G . . . . . Green
- R . . . . . Red
- W . . . . . White
- Y . . . . . Yellow
- Br . . . . . Brown
- Lbl . . . . . Light blue
- P . . . . . Pink
- O . . . . . Orange
- Gy . . . . . Gray
- B/W . . . . . Black with White tracer
- W/R . . . . . White with Red tracer
- Y/G . . . . . Yellow with Green tracer
- Y/R . . . . . Yellow with Red tracer
- R/Y . . . . . Red with Yellow tracer
- B/R . . . . . Black with Red tracer
- R/W . . . . . Red with White tracer

**CAUTION:**  
To install the 12-V, 200-W rectifier with voltage regulator (option), it is necessary to remove standard rectifier.

..... Optional

1981-1983 DT 85TC



**WIRE COLOR**


B . . . . .	Black	Br . . . . .	Brown
Bl . . . . .	Blue	Lbl . . . . .	Light blue
G . . . . .	Green	P . . . . .	Pink
R . . . . .	Red	O . . . . .	Orange
W . . . . .	White	Gy . . . . .	Gray
Y . . . . .	Yellow	B/W . . . . .	Black with White tracer
		W/R . . . . .	White with Red tracer
		Y/G . . . . .	Yellow with Green tracer
		Y/R . . . . .	Yellow with Red tracer
		R/Y . . . . .	Red with Yellow tracer
		B/R . . . . .	Black with Red tracer
		R/W . . . . .	Red with White tracer

**CAUTION:**  
To install the 12-V, 200W rectifier with voltage regulator (option), it is necessary to remove standard rectifier.

..... Optional



1982 DT 115/DT 140



**WIRE COLOR**

B	...	Black
Bl	...	Blue
G	...	Green
R	...	Red
W	...	White
Y	...	Yellow
Br	...	Brown
Lbl	...	Light blue
P	...	Pink
O	...	Orange
Gr	...	Gray
B/W	...	Black with White tracer
Bl/R	...	Blue with Red tracer
R/B	...	Red with Black tracer
W/B	...	White with Black tracer
W/R	...	White with Red tracer
Y/G	...	Yellow with Green tracer
Y/R	...	Yellow with Red tracer

Copyright of Suzuki Outboard Shop Manual 2-140 HP, 1977-1984 is the property of Penton Media, Inc. ("Clymer") and its content may not be copied or emailed to multiple sites or posted to a listserv without the copyright holder's express written permission. However, users may print, download, or email articles for individual use.